

RM
RUBBLE MASTER



RM60

COMPACT RECYCLING FOR WINNERS

RUBBLE MASTER[®]
COMPACT RECYCLER



Easy handling: Fed with small construction loaders (loading edge 75" / 190 cm), remote control optional



Indispensable: release system to remove blockages, plus reliable magnetic separator



Efficient automatic 2-step conveying and diesel / electric drive (2,4 to 3 gallons per hour / 9 to 12 litres per hour)

RUBBLE MASTER Compact Recyclers are the compact class when it comes to mobile processing: they are versatile in use, powerful and stable in value. RUBBLE MASTER Compact Recyclers produce high quality aggregate from construction debris and natural rock; on-site and cost effective. Thanks to the compact dimensions and low weight, RUBBLE MASTER equipment can be transported without special permits. Proven technology and one-on-one consultations from the RM Lifetime Support enable the RUBBLE MASTER user to offer competitive rates with exceptional service while creating a strong, profitable business. Our key to success is successful customers.

PROFITABLE NICHES



Appreciated by residents: thanks to series dust suppression and noise reducing cover



S THROUGH QUALITY AND MOBILITY

RM60 – THE FLEXIBLE PROBLEM-SOLVER

The RM60 is the most compact RM crusher and perfect for small to medium sized recycling operations. Mobile recycling is the answer to ever increasing costs, since existing equipment and personnel can generate additional profit, eliminating transport, dumping and procurement costs at the same time! The RM60 is moved from site to site using a hook lift truck or similar device and ready for operation in a short space of time. The impact crusher is easy to operate and all

service jobs can be carried out from ground level. With optional high-performance components such as pre-screens and final screens, you can create a complete recycling centre. The building, paving or demolition contractor becomes a service provider for companies and communities by creating clear, cost-efficient recycling loops. RUBBLE MASTER partners across North America and around the world offer support and advice on optimum settings and site logistics on a case-to-case basis.



Reduced wear through optional pre-screening: the robust VS60 – also available with side conveyor belt – separates fines from the feed material




Profitable niches: recycled production waste can be screened with the container-mobile CS2500 (one-deck or two-deck) into high-value final products




Success factor quality: up to 88 short tons / 80 metric tonnes per hour cubic shaped value aggregate from building debris, asphalt, concrete, bricks and other mineral material

Working position
(in ft and inch)



Transport position
(in ft and inch)



RM60 - hook-lift mobile impact crusher

Throughput	Up to 55 to 88 short tons (50 to 80 metric tonnes) per hour, depending on material
Feed size	Diameter max. 20" (500 mm)
Inlet opening	25" x 22" (640 x 550 mm)
Crusher unit	HMH impact crusher with 2 or 4 hammers Kinematics mechanically adjustable for primary or secondary crushing
Operation	Straightforward handling with remote control (optional)
Feed unit	Feed hopper 1 cubic yard (1 m ³) The hopper is a solid, reinforced steel structure Loading height 6' 3" (1,960 mm), loading width 6' 7" (2,000 mm) Conveyor trough width 25" (640 mm) Feed Control System for automatic conveying in line with crusher load
Discharge belt	Folding conveyor 25.5" (650 mm) cranked mechanically into transport position Discharge height 5' 11" (1,800 mm)
Drive unit	Deutz diesel engine, 4 cylinder 67 kW at 2,000 rpm TIER 2 / COMII; from 2008 TIER 3 / COM III approved 3-phase synchronous generator 19 kVA 400 V 230 V and 400 V outlets for external drives up to 6 kW
Magnetic separator	Extra strong magnet, belt width 25.5" (650 mm)
Emission protection	RUBBLE MASTER enviro concept: Dust suppression using water spray inside crusher and at outlet
Transport system	Hook unit on truck
Weight	13.2 short tons (12,000 kg)
Options	Release System to remove blockages inside crusher Remote control Service platform Filling pump Crusher hammer changing system Hydraulic legs

Specifications subject to change in line with technical developments.

www.rubblemaster.com

RUBBLE MASTER[®]
COMPACT RECYCLER

HMH

RUBBLE MASTER SYSTEMS NORTH AMERICA
1-5686 Monkland Ave., Montréal, QC H4A 1E4, Canada
T: (514) 481-7903
Toll free number: 1-866-663-6610
office@rubblemaster.com

HMH Engineering-Consulting-Trading GmbH
Im Südpark 196 - AT 4030 Linz - Austria
T +43 . 732 . 73 71 17-42
F +43 . 732 . 73 71 17-9
sales@rubblemaster.com