



Easy handling: fed with small construction loaders (loading edge 190 cm), remote control optional



Indispensable: release system to remove blockages, plus reliable magnetic separator



Efficient: automatic 2-step conveying and diesel / electric drive [9 to 12 I]

RUBBLE MASTER Compact Recyclers are the compact class for mobile processing: they are versatile in use, powerful and stable in value. They produce high-quality cubic value grain from construction debris and natural rock on-site and cost effectively. Thanks to their compact dimensions and low weight, they can be transported without any special permits. Proven technology, individual advice and the RM Lifetime Support programme enable the RUBBLE MASTER user to offer affordable, mobile recycling and establish a profitable line of business with exceptional quality. Because we are only satisfied when our customers are successful!

LUCRATIVE NICHES





Appreciated by residents: thanks to series dust suppression and noise reducing cover



THROUGH QUALITY AND MOBILITY

RM60 - THE FLEXIBLE PROBLEM-SOLVER

The RM60 is the most compact RM crusher and perfect for newcomers to recycling. Instead of the burden of ever increasing costs, mobile recycling that uses existing equipment and personnel can generate additional profit, eliminating transport, dumping and procurement costs at the same time. The RM60 is moved from site to site using a hook lift lorry and ready for operation in a short space of time. The impact crusher is easy to operate and all service jobs can be carried out from ground level. With high-performance components such as pre-screens and final screens, you can create a complete recycling centre. The building contractor becomes a service provider for companies and communities, creating clear, cost-efficient recycling loops. RUBBLE MASTER partners offer advice on optimum settings and site logistics on a case-to-case basis.



Less wear through pre-screening: the robust VS60 – also available with side conveyor belt – separates fines from the feed material





Profitable niches: recycled production waste can be separated in the container-mobile CS2500 and reused to save costs





Success factor quality and pure sorting: up to $80\,\mathrm{t/h}$ cubic value grain from building debris, asphalt, concrete and in landscape design











Transport position (in mm)

RM60 - hook-lift mobile impact crusher

Up to $80\,t/h$, depending on material Throughput

Diameter max. 500 mm Feed size Inlet opening 640 x 550 mm

HMH impact crusher with 2 or 4 hammers Crusher unit

Kinematics mechanically adjustable for primary or secondary crushing

Operation Straightforward handling with remote control (optional)

Feed unit Feed hopper 1 m³

The hopper is a solid, reinforced steel structure Loading height 1,930 mm, loading width 2,500 mm

Conveyor trough width 640mm Feed Control System (1st generation automation) for automatic conveying in line with crusher load

Folding conveyor 650 mm wide, Discharge belt

cranked mechanically into transport position Discharge height 1,800 mm

Drive unit Deutz diesel engine, 4 cylinder

67 kW at 2,000 rpm
TIER 2 / COMII; from 2008 TIER 3 / COM III approved 3-phase synchronous generator 19 kVA 400 V
230 V and 400 V outlets for external drives up to 6 kW

Extra strong magnet, belt width 650 mm Magnetic separator

RUBBLE MASTER enviro concept: Emission protection

Dust suppression using water spray inside crusher and at outlet

Transport system Hook unit on truck Weight 12,000 kg

Release System to remove blockages inside crusher Options

Remote control Service platform Filling pump

Crusher hammer changing system

Hydraulic legs

Specifications subject to change in line with technical developments.

RUBBLE COMPACT RECYCLER

нмн