

TURN YOUR MATERIALS INTO MONEY


DOMINATE YOUR JOBSITE WITH A MOBILE SCREENER THAT WORKS AS HARD AS YOU!



MACHINES THAT MAKE YOU MORE MONEY

THE MOST VERSATILE AND JOB-FRIENDLY MOBILE PROCESSING EQUIPMENT AVAILABLE

Since 1991, our products are used by the most cutting-edge contractors and aggregate producers worldwide while being the #1 choice for those brand-new to processing. We look at crushing and screening in its entirety and design best-in-class every step of the way.



JOBSITE

LET RUBBLE MASTER TAKE YOU THERE

At RUBBLE MASTER, we understand a smooth operation equals more profit. That's why our mission is to help you dominate your jobsite. No more losing money to high operation costs, buying additional material, or wasting time with traditional material disposal processes. Instead, you take back control of your operations and get the job done right.



MAXIMIZE PERFORMANCE

Our mobile screens provide the best throughput capacity in their class without sacrificing mobility. Do more, more efficient.



EASY TO PAIR WITH ANY CRUSHER

Our mobile screens are designed for a smooth material transfer to build aggregate systems quickly and easily.



TRUST YOUR GUYS AROUND THE MACHINE

We make material processing easy so you can put any operator on our machine with confidence.



GO ANYWHERE, ANYTIME

RUBBLE MASTER machines are designed with mobility in mind, giving you the freedom to move anywhere, anytime.

These high-capacity machines designed for heavy-duty screening, are perfect for construction & demolition, organics, aggregates, and recycling. They excel at separating materials and produce clean, sorted materials ready for use or further processing.

FINES CONVEYOR

2-WAY-SPLIT **OPTIONAL***

- ✓ Produce 2 products by merging over-size and mid-size
- ✓ Flexibility to handle more applications.

MAIN DISCHARGE CONVEYOR

LARGE FEED HOPPER

Easy feeding with an excavator or wheel loader

MID-SIZE CONVEYOR

HOPPER WING PLATES

Extended hopper wings to facilitate loading from the real

STANDARD SAFETY PLATFORM

Trust your crew around the machine

The scalper screen can be equipped with various screen media:

LARGE VARIETY OF SCREENS

EASY ACCESSABLE ENGINE

Wide access doors swing open, letting you stand inside the engine compartment for easy service at ground level



SMALL, BUT POWERFUL SCREENING PLANT IDEAL FOR NEW CONTRACTORS STARTING OUT

The RM HS3500M delivers top-tier productivity and efficient performance in a compact design. Built for versatility, it excels in heavy-duty scalping and precise screening of materials like topsoil, aggregates, sand, gravel, mulch, asphalt millings, C&D waste, and more.







SCREEN-BOX	4' x 9' 1.220 x 2.743 mm
SCREEN DECKS	2
SCREEN ANGLE	14° (fixed)
FEED UNIT	6.5 yd ³ 5 m ³
ENGINE	Deutz diesel engine 75 HP 55 kw (Tier 4F)
DRIVE	Diesel-hydraulic
STOCKPILE HEIGHT TAIL CONVEYOR	11' 3" 3.430 mm
STOCKPILE HEIGHT FINES CONVEYOR	10' 8" 3.240 mm
STOCKPILE HEIGHT MIDS CONVEYOR	10' 8" 3.240 mm
TRANSPORT DIMENSIONS	32' 5" x 8' 4" x 10' 6" 9.880 x 2.550 x 3.190 mm
WEIGHT**	36,400 lbs 16.500 kg



NO SURPRISES, NO SETBACKS

The RM HS5000M mobile scalping screen delivers maximum productivity and efficiency for heavy-duty scalping and precision screening. It handles a wide range of materials, including topsoil, aggregates, sand, gravel, C&D waste, mulch, and asphalt millings.





330
TONS PER HOUR*

	TONG PER HOC
SCREEN-BOX	5' x 12' 1.215 x 3.665 mm
SCREEN DECKS	2
SCREEN ANGLE	15° - 20° (adjustable)
FEED UNIT	7.8 yd ³ 6 m ³
ENGINE	Cummins diesel engine 130 HP 97 kw (Tier 4F)
DRIVE	Diesel-hydraulic
STOCKPILE HEIGHT TAIL CONVEYOR	10' - 12' 10" 3.260 - 3.920 mm
STOCKPILE HEIGHT FINES CONVEYOR	12' 3.670 mm
STOCKPILE HEIGHT MIDS CONVEYOR	12' 8" 3.870 mm
TRANSPORT DIMENSIONS	44' 2" x 9' x 10' 6" 13.,450 x 2.750 x 3.200 mm
WEIGHT**	56,700 lbs 25.700 kg



NEVER SETTLE FOR LESS — TAKE ON ANY JOB WITH CONFIDENCE

This tough, robust and dependable mobile scalper is designed to cope with heavy duty screening applications. It features all the options to process extremely difficult and abrasive materials. The highly aggressive 5' x 16' double deck screen-box provides an exceptional output across a wide range of applications.







SCREEN-BOX	5' x 16' 1.525 x 4.880 mm
SCREEN DECKS	2
SCREEN ANGLE	15° - 20° (adjustable)
FEED UNIT	11.3 yd ³ 8,7 m ³
ENGINE	Cummins diesel engine 130 HP 97 kw (Tier 4F)
DRIVE	Diesel-hydraulic
STOCKPILE HEIGHT TAIL CONVEYOR	10' - 11' 8" 3.060 - 3.550 mm
STOCKPILE HEIGHT FINES CONVEYOR	12' 5" 3.780 mm
STOCKPILE HEIGHT MIDS CONVEYOR	13' 5" 4.080 mm
TRANSPORT DIMENSIONS	49' 3" x 9' 10" x 11' 4" 15.005 x 2.990 x 3.450 mm
WEIGHT**	67,000 lbs 30.400 kg

RM HS11000M

ONE OF THE BIGGEST SCALPING SCREENS ON THE MARKET



MOBILE SCALPER DESIGNED FOR UNMATCHED VERSATILITY & PERFORMANCE

The RM HS11000M is a tough, robust and dependable portable screening plant designed to cope with heavy-duty scalping applications. The highly aggressive 6' x 20' double deck screen-box provides an exceptional output across a wide range of applications, such as shot rock, millings, soils, mulch, and C&D waste.







SCREEN-BOX	6' x 20' 18.300 x 6.100 mm
SCREEN DECKS	2
SCREEN ANGLE	13° - 17° (adjustable)
FEED UNIT	11.3 yd ³ 8,7 m ³
ENGINE	Cummins diesel engine 225 HP 168 kw (Tier 4F)
DRIVE	Diesel-hydraulic
STOCKPILE HEIGHT TAIL CONVEYOR	12' 1" 3.700 mm
STOCKPILE HEIGHT FINES CONVEYOR	10' 2" 3.100 mm
STOCKPILE HEIGHT MIDS CONVEYOR	8' 10" - 12' 10" 2.700 - 3.900 mm
TRANSPORT DIMENSIONS	55' 5" x 9' 10" x 11' 8" 16.890 x 3.000 x 3.550 mm
WEIGHT**	82,670 lbs 37.500 kg

FOR AGGREGATE PRODUCERS

You need to produce multiple products fast and reliably. The RM MSC-Series Incline Screens are high-performance screening plants for aggregate producers and sand & gravel pits. The proven screening plants feature large screening surfaces so that you keep up your high-capacity demands with small infeed material.



WET SCREENING

CONVERT YOUR SCREEN INTO A MOBILE WASH PLANT*

- ✓ Rinser kit includes plumbing, spray bars, & catch box
- Ideal for cleaning stone

LARGE FEED HOPPER 12 yd³ feed hopper to

- ✓ Works with most dewatering & after treatment systems
- Easy to convert to dry screen


MAIN DISCHARGE CONVEYOR MAIN DISCHARGE CONVEYOR HYDRAULIC TIPPING GRID Optional radio remote control

EASY CHANGE OF SCREEN MEDIA

Drop tail conveyor and screen-box to the ground for ease of access

RM MSC8500M

GROWS YOUR EARNINGS WITH EVERY LOAD



MID-SIZED SCREEN FOR QUALITY RESULTS IN ANY MATERIAL

The RM MSC8500M Inclined Screen is a mid-sized aggregate screen with 2 or 3 deck options. Built for high production in soil, coal, aggregates, millings, sand, and gravel. It's designed for quick setup, a drop-down tail conveyor, and easy-access mesh screens for fast media changes.







SCREEN BOX	5' x 18' 1.525 x 5.485 mm	
SCREENBOX ANGLE	20° - 30° (adjustable)	
FEED BUNKER VOLUME	12 yd ³ 9,2 m ³	
WIDTH FEED CONVEYOR	41½" 1.050 mm	
WIDTH FINES DISCHARGE CONVEYOR	48" 1.200 mm	
WIDTH MID-SIZE & OVERSIZE DISCHARGE CONVEYOR	31½" 800 mm	
DRIVE	Diesel-hydraulic	
ENGINE	Cummins diesel engine 130 HP 97 kw (Tier 4F)	
SCREEN DECKS	2 or 3 decks	

2 DECK CONFIGURATION		3 DECK CONFIGURATION	
TRANSPORT DIMENSIONS L x W x H	58' 1" x 11' 2" x 11' 8" 17.700 x 3.400 x 3.550 mm	TRANSPORT DIMENSIONS L×W×H	58' 1" x 11' 2" x 11' 8" 17.700 x 3.400 x 3.550 mm
WEIGHT**	70,550 lbs 32.000 kg	WEIGHT**	77,160 lbs 35.000 kg



BIG SCREEN, BIG RESULTS – DON'T LET SMALL CAPACITY HOLD YOU BACK

The RM MSC10500M incline screen features a massive 22' x 5' screen-box for unmatched throughput. It's perfect for high-volume jobs in coal, crushed stone, millings, sand, and gravel. Quick setup, a drop-down tail conveyor, and easy screen access make it a game-changer for faster media changes.








SCREEN BOX	5' x 22' 1.525 x 6.700mm
SCREENBOX ANGLE	20° - 30° (adjustable)
FEED BUNKER VOLUME	12 yd ³ 9,2 m ³
WIDTH FEED CONVEYOR	41" 1.050 mm
WIDTH FINES DISCHARGE CONVEYOR	48" 1.200 mm
WIDTH MID-SIZE & OVERSIZE DISCHARGE CONVEYOR	31" 800 mm
DRIVE	Diesel-hydraulic
ENGINE	Cummins diesel engine 130 HP 97 kw (Tier 4F)
SCREEN DECKS	2 or 3 decks

2 DECK CONFIGURATION		3 DECK CONFIGURATION	
TRANSPORT DIMENSIONS L x W x H	62' 4" x 11' 2" x 11' 8" 19.000 x 3.400 x 3.550 mm	TRANSPORT DIMENSIONS L×W×H	62' 4" x 11' 2" x 11' 8" 19.000 x 3.400 x 3.550 mm
WEIGHT**	79,370 lbs 36.000 kg	WEIGHT**	82,670 lbs 37.500 kg

EVEN THE BEST OPERATION WILL COST YOU IF YOUR LOADER CAN'T KEEP UP

It's a fact: stacking conveyors can replace your wheel loader, making your operation more efficient while improving your bottom line. Stacking conveyors can also transfer material from one machine to another which eliminates rehandling costs.

	RM MTS1508US	
CONVEYOR LENGTH	50' 1.270 mm	
ENGINE	Isuzu or Kohler diesel engine 24 HP 18 kw (Tier 4F)	
TRANSPORT DIMENSIONS	50' 3" x 8' x 9' 6" 15.320 x 2.440 x 2.900 mm	
WEIGHT	14,000 lbs 6.350 kg	
BELT WIDTH	36" 914 mm	
STOCKPILE HEIGHT	23' 7.000 mm	111
FUEL CAPACITY	20 gal 90 l	






MUCH MORE THAN A CRUSHER MANUFACTURER

OUR BUSINESS EXISTS TO SUPPORT EVERY ASPECT OF YOURS





SALES & SERVICE HUB Ennis, TX



HEADQUARTERS & FACTORY
Linz, Austria

SERVICE SECOND TO NONE

LOCAL. RESPONSIVE. FAST.

At RUBBLE MASTER, we understand that when your equipment goes down, it doesn't just cost you time, it costs you money. That's why, when you choose RUBBLE MASTER, you get more than great equipment, you get the industry's best service and parts support.



LOCAL DEALER SUPPORT

Service delays cost you money. RUBBLE MASTER dealers make sure you get a premium service to grow your business.

AM

FACTORY SUPPORT

From the moment you have your machine and even long before that, we are by your side and help you succeed all the way.



RAPID PARTS DELIVERY

When you need parts, you need them fast. That's why we keep stock parts in our own facility in Ennis, TX ready for you.



Welcome! to our world







RM 70GO! MOBILE IMPACT CRUSHER



RM 90GO! MOBILE IMPACT CRUSHER



RM 100GO! MOBILE IMPACT CRUSHER



RM 120X MOBILE IMPACT CRUSHER

RUBBLE MASTER assumes no liability resulting from errors or omissions in this document, or from the use of the information contained herein. Due to continual product development we reserve the right to change specifications without notice. Product performance figures given in this sales literature are for guidance purposes only, this information does not constitute an expressed or implied warranty or guarantee, but shows test examples provided by dealers. These results will vary depending on myriad of factors including (but not limited to) mesh sizes, type of feed material and input size.

RUBBLE MASTER does not warrant or represent that their products meet any federal, state, or local statutes, codes, ordinances, rules, standards or other regulations to operate the equipment. Compliance with these statutes and regulations is the responsibility of the user and will be dependent upon the area and the use to which the product is put by the user. Photographs are for illustrative purposes only, some or all of the machines may be fitted with options.

#KEEPCRUSHING

